

Publication No. WI-2013-02

19 March 2013

The Watershed Institute

Division of Science and Environmental
Policy

California State University Monterey Bay
<http://watershed.csumb.edu>

100 Campus Center, Seaside, CA, 93955-8001
831 582 4696 / 4431

*Central
Coast
Watershed
Studies*

CCoWS

Summary of Precipitation and Streamflow for Potrero and San Clemente Creeks in Water-Year 2012

Santa Lucia Preserve
Monterey County, California

Sheldon Leiker
Douglas Smith (Ph.D.)

Contact:
dosmith@csumb.edu

This page deliberately left blank.

Executive Summary

The purpose of this annual report is to present precipitation and streamflow summaries for the 2012 water year (October 1, 2011 to September 30, 2012). In March 2007 CSU–Monterey Bay began hydrologic monitoring of Santa Lucia Preserve for the Santa Lucia Conservancy. This project is a continuation of monitoring begun by Balance Hydrologics as part of the permit requirements for land development. Discharge, temperature, and specific conductance are reported for two creeks on the Santa Lucia Preserve, Potrero Creek and San Clemente Creek. Precipitation records are reported from two locations, the San Clemente Dam and Santa Lucia Preserve golf course.

This report can be cited as:

Leiker S. and Smith D. 2013. Summary of Precipitation and Streamflow for Potrero and San Clemente Creeks in Water–Year 2012, Santa Lucia Preserve, Monterey County, California: Prepared for the Santa Lucia Conservancy. The Watershed Institute, California State University Monterey Bay, Publication No. WI–2013–2, 30pp.

Acknowledgements

We are grateful for the assistance of:

- Chris Hauser (Santa Lucia Conservancy)
- Jason Parke, Scott Brown and Barry Hecht (Balance Hydrologics)
- Aimiee Teaby (CSU–Monterey Bay)

This page deliberately left blank.

Table of Contents

Executive Summary.....	iii
Acknowledgements	iii
Table of Contents	5
List of Tables and Figures.....	5
1 Introduction.....	7
2 Precipitation Data	7
3 Streamflow, Temperature, and Conductance Data	8
3.1 Potrero Creek	8
3.2 San Clemente Creek	8
4 Limitations.....	9
5 References	10
6 Tables.....	11
7 Figures.....	24

List of Tables and Figures

Tables	Page
1 Daily precipitation record and monthly totals, San Clemente Dam	11
2 Daily precipitation record and monthly totals, Santa Lucia Preserve Golf Course	12
3 Mean daily flow, Potrero Creek, water year 2012	13
4 Mean Daily Water Temperature (°C), Potrero Creek	14
5 Maximum Daily Water Temperature (°C), Potrero Creek	15
6 Minimum Daily Water Temperature (°C), Potrero Creek	16
7 Mean Daily Specific Conductance (umhos/cm @ 25 °C), Potrero Creek	17
8 Mean daily flow, San Clemente Creek, water year 2012	18
9 Mean Daily Water Temperature (°C), San Clemente Creek	19
10 Maximum Daily Water Temperature (°C), San Clemente Creek	20
11 Minimum Daily Water Temperature (°C), San Clemente Creek	21
12 Mean Daily Specific Conductance (umhos/cm @ 25 °C), San Clemente Creek	22

Figures	Page
1 Monthly precipitation for Water Year 2012, San Clemente Dam	24
2 Log–Pearson Type–III analysis of precipitation from San Clemente Dam	25
3 Monthly precipitation for Water Year 2012, Santa Lucia Preserve Golf Course	26
4 Mean Daily Streamflow at Potrero Creek gage for Water Year 2012	27
5 Mean Daily Conductance and Mean/Min/Max Daily Water Temp at Potrero	28
6 Mean Daily Streamflow at San Clemente Creek gage for Water Year 2012	29
7 Mean Daily Conductance and Mean/Min/Max Daily Water Temp at San Clemente	30

This page deliberately left blank.

1 Introduction

This report is a hydrologic data summary for Santa Lucia Preserve for Water Year 2012 (WY-12). Balance Hydrologics installed four continuously recording streamflow gages on Santa Lucia Preserve. These gages include two on Las Garzas Creek (Moore's Lake inflow and outflow, installed in 2001), one on Potrero Creek (installed in 2002), and one on San Clemente Creek (installed in 2012). Detailed information on gage installation, operation and individual gage sites is available in Balance Hydrologics (2002).

Operation of the Potrero Creek and San Clemente Creek streamflow gages was transferred to CSUMB Watershed Institute on June 21, 2007. Data summaries are presented for streamflow on Potrero and San Clemente Creeks and for precipitation on Santa Lucia Preserve and San Clemente Dam.

2 Precipitation Data

Precipitation data presented from the Santa Lucia golf course is from a Rain Bird weather station operated by Santa Lucia Preserve. Precipitation data recorded by California American Water Company at nearby San Clemente Dam are included for comparison.

At San Clemente Dam the total WY-12 rainfall was 13.94 inches (Table 1 and Figure 1), which represents below average precipitation at the Dam. Based on the 90-year San Clemente Dam precipitation record, the average rainfall is 21.39 inches. Using Log-Pearson Type-III analysis, rainfall at San Clemente Dam should be less than 13.94 once every 6 years on average (Figure 2).

The recorded rainfall at the Santa Lucia Preserve Golf Course in WY-12 was 18.53 inches (Table 2 and Figure 3), which is below the 10 year average, 27.45 inches. The short duration of the record at the golf course may not be representative of actual long term precipitation patterns. The Preserve golf course received approximately 5 more inches of rain than the nearby San Clemente Dam. The available data do not show a consistent relationship between total precipitation at the San Clemente Dam and total precipitation at the golf course. During the 10 years of rain gage operation at the golf course, the golf course gage has recorded between 0.96 fewer inches and 12.10 more

inches than the Dam gage, with an average difference of 6.5 inches and a standard deviation of 4.33 inches.

3 Streamflow, Temperature, and Conductance Data

The streamflow gaging stations on Potrero and San Clemente each consist of a Campbell CR10X data logger (powered by 10 or 20 watt solar panels), two Druck pressure transducers to measure water depth, Campbell specific conductance and water temperature probe, as well as staff plates for manual readings (Balance Hydrologics 2002). Data loggers record measurements of pressure, temperature, and conductance at 15-minute intervals.

In WY-12, streamflow gage data was downloaded to a laptop computer during monthly visits, at which time manual discharge measurements were also taken using standard hydrologic practices. A FlowTracker (SonTek handheld ADV) current velocity meter was used to measure discharge. A portable Parshall flume was used to measure discharge during the latter part of the dry season when flows became too low to use the FlowTracker meter.

3.1 Potrero Creek

The current gage station on Potrero Creek was installed April 29, 2002 and is located upstream of the T-11 well. In WY-12, Potrero Creek had a mean daily flow of 0.38 cfs, a maximum daily flow of 7.8 cfs, and a minimum daily flow of 0.15 cfs; the 7-day low flow was 0.15 cfs (Table 3). Mean daily streamflow and manual discharge measurements are plotted in Figure 4. Temperature and conductance data are presented in Tables 4 through 7, and in Figure 5.

3.2 San Clemente Creek

The current gage station on San Clemente Creek was installed January 17, 2012 and is located near the Santa Lucia Preserve property boundary. In WY-12, San Clemente Creek had a mean daily flow of 0.43 cfs, a maximum daily flow of 3.2 cfs, and a minimum daily flow of 0.03 cfs; the 7-day low flow was 0.03 cfs (Table 8). Mean daily streamflow and manual discharge measurements are plotted in Figure 6. Temperature and conductance data are presented in Tables 9 through 12, and in Figure 7.

4 Limitations

Streamflow gage data are based on the stage–discharge relationship unique to each stream and gage location. This stage–discharge relationship (rating curve) for each gage has been developed over time by making manual discharge measurements at various ranges of flow and noting the water level (stage) at which a particular flow occurs. The rating curve for Potrero Creek was adjusted this year to reflect changes in the channel. The rating curve for San Clemente Creek was also adjusted this year to reflect to changes in the channel.

As more discharge measurements are made (particularly in the higher range of flows) the rating curves may change and it will be necessary to update the streamflow data to reflect these changes. For this reason, the streamflow data contained in this report should be considered provisional and caution should be exercised when using these data.

Discharge values were reported beginning in the month of January for the San Clemente Creek gage due to a malfunction that began on the 24th of August 2011. The gage was replaced on the 17th of January 2012.

5 References

[Balance Hydrologics 2002]. Brown S, Porter S, Woyshner M, Hecht B. 2002. Hydrologic record for water year 2002: Las Garzas, Potrero, and San Clemente Creeks, Santa Lucia Preserve, Monterey County, California. 53 pp.

6 Tables

Table 1. Daily precipitation record and monthly totals, water year 2012
 San Clemente Dam, Monterey County, California

Record obtained from: Monterey Peninsula Water Management District

Values are inches

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1						0.02	0.48					
2						0.01						
3												
4	0.28	0.14					0.01	0.02				
5	0.69								0.07			
6	0.39					0.06						
7	0.25	0.31										
8					0.04							
9												
10												
11	0.05				0.08		0.63					
12	0.05				0.02		0.41					
13			0.10		0.07		0.54					
14		0.46			0.46		0.26					
15					0.05	0.07						
16						0.02						
17						1.19						
18		0.02				1.09						
19						0.06						
20				0.04								
21		0.62		2.13								
22												
23				0.98								
24				0.03								
25		0.04					0.02					
26						1.18	0.05	0.02				
27					0.01		0.01					
28					0.02	0.24						
29					0.15							
30												
31												
Total	1.71	1.59	0.10	3.18	0.90	3.94	2.41	0.04	0.07	0.00	0.00	0.00
Annual Total	<u>13.94</u>											

Table 2. Daily precipitation record and monthly totals, water year 2012
 Santa Lucia Preserve Golf Course, Monterey County, California

Record obtained from: Santa Lucia Preserve

Values are inches

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1						0.02	0.22					
2												
3	0.08	0.06					0.01					
4	0.07	0.13						0.04	0.12			
5	1.26	0.68										
6	0.62	0.21				0.08						
7					0.01							
8												
9		0.01										
10	0.10				0.01		0.42					
11		0.53	0.03		0.19		0.14					
12	0.01		0.14		0.01		0.68					
13			0.01		0.74	0.01	1.27					
14							0.19					
15			0.04		0.08							
16						1.23						
17						1.02						
18		0.06			0.01	0.29						
19		0.16		0.04								
20		0.76		1.06								
21		0.01		1.70								
22				0.14								
23				0.99								
24		0.03				0.62						
25						0.55	0.04	0.09				
26				0.01			0.14	0.05				
27					0.09	0.26						
28					0.02	0.17						
29												
30												
31				0.01		0.76						
Total	2.14	2.64	0.22	3.95	1.16	5.01	3.11	0.18	0.12	0.00	0.00	0.00
Annual Total	18.53											

Table 3. Mean daily flow, Potrero Creek, water year 2012
Santa Lucia Preserve, Monterey County, California

Values are cfs (unless otherwise noted)												
Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1	0.17	0.18	0.21	1.00	0.36	0.20	2.91	0.17	0.16	0.16	0.16	0.16
2	0.17	0.18	0.23	1.02	0.35	0.20	2.07	0.16	0.16	0.16	0.16	0.15
3	0.17	0.18	0.25	1.01	0.35	0.20	1.34	0.16	0.16	0.16	0.16	0.16
4	0.18	0.19	0.27	1.02	0.35	0.20	1.03	0.17	0.17	0.16	0.16	0.16
5	0.20	0.19	0.35	1.01	0.35	0.20	0.76	0.16	0.16	0.16	0.16	0.16
6	0.20	0.20	0.38	1.01	0.37	0.20	0.61	0.16	0.16	0.16	0.15	0.16
7	0.19	0.19	0.41	0.96	0.40	0.20	0.52	0.16	0.16	0.16	0.15	0.16
8	0.19	0.19	0.45	0.95	0.32	0.20	0.42	0.16	0.16	0.16	0.15	0.16
9	0.18	0.19	0.47	0.95	0.32	0.20	0.35	0.16	0.16	0.16	0.15	0.16
10	0.18	0.19	0.51	0.95	0.32	0.20	0.43	0.16	0.16	0.16	0.15	0.16
11	0.19	0.20	0.59	0.95	0.41	0.20	0.48	0.16	0.16	0.15	0.15	0.16
12	0.18	0.20	0.68	0.95	0.37	0.20	0.52	0.16	0.16	0.15	0.15	0.16
13	0.18	0.19	0.72	0.94	0.43	0.20	7.80	0.16	0.16	0.16	0.15	0.16
14	0.18	0.19	0.71	0.93	0.38	0.20	3.97	0.16	0.16	0.16	0.15	0.16
15	0.18	0.19	0.79	0.96	0.31	0.20	1.88	0.16	0.16	0.15	0.15	0.16
16	0.18	0.19	0.77	0.87	0.26	0.20	0.96	0.16	0.16	0.15	0.15	0.16
17	0.18	0.19	0.79	0.86	0.26	1.27	0.47	0.16	0.16	0.15	0.15	0.16
18	0.18	0.19	0.82	0.91	0.28	0.43	0.19	0.16	0.16	0.15	0.15	0.16
19	0.18	0.19	0.90	0.98	0.20	0.19	0.20	0.16	0.16	0.15	0.15	0.16
20	0.18	0.35	0.81	1.27	0.22	0.20	0.19	0.16	0.16	0.15	0.15	0.16
21	0.18	0.19	0.82	4.09	0.22	0.20	0.19	0.16	0.16	0.15	0.15	0.16
22	0.18	0.19	0.82	1.81	0.24	0.20	0.18	0.16	0.16	0.16	0.15	0.16
23	0.18	0.19	0.83	2.93	0.23	0.20	0.18	0.16	0.16	0.16	0.15	0.16
24	0.18	0.20	0.88	1.96	0.19	0.20	0.18	0.16	0.16	0.15	0.15	0.16
25	0.18	0.20	0.94	1.09	0.20	2.12	0.17	0.16	0.16	0.15	0.16	0.16
26	0.18	0.20	0.96	0.57	0.20	1.25	0.18	0.16	0.16	0.15	0.16	0.17
27	0.18	0.20	0.97	0.47	0.20	0.70	0.17	0.16	0.16	0.15	0.15	0.16
28	0.18	0.20	1.01	0.42	0.20	0.81	0.17	0.16	0.16	0.16	0.15	0.16
29	0.18	0.20	1.08	0.41	0.28	0.74	0.17	0.16	0.16	0.16	0.15	0.16
30	0.18	0.20	1.10	0.42		0.54	0.17	0.16	0.16	0.16	0.15	0.16
31	0.18		1.07	0.41		0.92		0.16		0.16	0.16	
Mean	0.18	0.20	0.70	1.10	0.30	0.43	0.96	0.16	0.16	0.16	0.15	0.16
Max Day	0.20	0.35	1.10	4.09	0.43	2.12	7.80	0.17	0.17	0.16	0.16	0.17
Min Day	0.17	0.18	0.21	0.41	0.19	0.19	0.17	0.16	0.16	0.15	0.15	0.15
Yield (ac-ft)	11.24	11.76	42.84	67.6	17.0	26.1	57.2	9.91	9.46	9.58	9.42	9.55
Water Year 2011 Annual Summary												
							yr	day	cfs			
Mean Daily Flow			0.39	cfs			1992	7/10	0.02			
Max. Daily Flow			7.8	cfs			1993	7/21	0.04			
Min. Daily Flow			0.15	cfs			1994	8/14	0.02			
7-Day Low Flow			0.15	cfs			1995	9/19	0.02			
Total Yield			282	ac-ft			2002	8/8	0.01			
Normalized Yield			0.08	ac-ft/ac			2003	8/23	0.01			
							2004	8/27	0.00			
							2005	9/30	0.05			
							2006	9/17	0.06			
							2007	9/6	<.01			
							2008	9/2	0.02			
							2009	9/3	0.13			
							2010	8/24	0.08			
							2011	9/7	0.17			
							2012	8/23	0.04			

Approximate date and value of first minimum daily mean flow near the end of each water year.

Table 4. Mean Daily Water Temperature (°C)
Potrero Creek, water year 2012

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1	13.46	9.00	5.87	6.62	8.18	8.22	9.91	11.19	11.80	13.33	12.61	12.48
2	13.05	10.00	7.36	6.60	7.96	7.75	9.88	10.86	11.80	13.10	12.81	11.83
3	12.19	9.53	6.77	6.63	7.11	7.97	9.97	11.35	11.62	13.06	13.12	12.36
4	13.11	9.84	6.00	6.65	6.63	8.45	8.60	10.40	11.33	13.07	13.37	12.75
5	13.51	9.64	5.75	6.85	6.35	8.88	8.56	10.47	10.81	12.96	13.45	13.02
6	12.71	10.00	5.60	7.19	6.83	7.78	8.21	10.80	10.98	12.44	12.95	12.70
7	11.52	9.89	5.32	6.61	8.50	7.18	8.24	11.10	11.24	12.64	12.61	12.54
8	11.33	8.88	5.13	6.02	8.89	7.27	8.33	10.73	11.13	12.77	12.70	12.59
9	12.40	8.41	5.15	5.75	8.52	7.70	9.02	10.63	11.05	12.76	12.67	12.65
10	12.47	8.20	5.39	5.56	8.30	8.78	9.87	10.45	11.36	12.56	12.68	12.75
11	13.57	8.62	6.30	5.57	9.10	8.65	10.30	10.80	11.63	12.56	12.91	12.99
12	13.33	9.42	6.93	5.38	9.43	9.46	10.28	11.33	11.90	12.52	12.97	13.11
13	13.20	9.55	6.52	5.30	9.31	10.49	9.78	10.86	11.75	12.73	13.31	13.02
14	13.26	9.80	6.30	5.22	8.98	11.07	10.18	10.70	11.61	12.77	13.53	12.84
15	13.16	9.10	6.48	5.60	8.80	11.52	10.07	11.28	11.59	12.91	13.64	12.52
16	13.09	8.72	6.31	5.71	7.47	10.39	10.03	11.32	12.08	13.05	13.62	12.73
17	12.96	8.47	5.88	4.57	7.02	9.07	10.65	11.35	12.36	13.21	13.68	12.80
18	13.10	9.30	5.60	4.13	8.25	8.42	10.93	10.78	11.47	12.81	13.64	12.94
19	13.48	9.07	6.68	4.24	8.22	9.00	11.62	10.64	11.44	13.16	13.29	12.50
20	13.38	9.10	6.27	6.08	8.06	9.53	12.12	11.44	11.69	12.81	13.19	11.95
21	13.35	8.20	5.82	7.87	8.25	10.36	11.85	11.64	11.85	12.97	13.38	11.94
22	12.40	7.93	5.26	7.72	8.60	9.31	12.10	11.75	12.23	13.16	13.56	11.57
23	12.46	7.67	4.74	8.66	9.04	8.80	12.33	11.36	11.75	13.33	13.29	11.84
24	12.15	8.69	4.21	8.90	8.69	9.06	12.21	11.19	11.65	13.31	13.13	12.14
25	12.72	8.35	4.11	8.52	8.50	9.34	12.26	11.14	11.54	13.40	13.25	12.41
26	11.14	8.36	4.35	8.57	7.53	9.65	11.09	11.26	11.52	13.33	12.45	12.37
27	10.03	8.30	4.77	8.84	7.78	11.04	10.76	10.72	11.48	13.23	12.72	12.54
28	9.97	8.51	4.99	7.63	8.05	10.65	11.52	10.79	12.30	13.13	12.63	12.66
29	10.09	8.88	5.87	7.11	9.23	11.00	11.59	11.27	12.96	12.97	12.31	12.52
30	10.26	8.50	6.89	7.06		10.94	11.04	10.99	12.98	12.74	12.92	12.42
31	10.58		6.98	8.21		10.43		11.64		13.07	12.53	
Mean Day	12.37	8.93	5.79	6.63	8.19	9.30	10.44	11.04	11.70	12.96	13.06	12.52
Max Day	13.57	10.00	7.36	8.90	9.43	11.52	12.33	11.75	12.98	13.40	13.68	13.11
Min Day	9.97	7.67	4.11	4.13	6.35	7.18	8.21	10.40	10.81	12.44	12.31	11.57

Table 5. Maximum Daily Water Temperature (°C)
Potrero Creek, water year 2012

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1	13.89	11.34	8.72	7.04	8.94	8.68	10.44	11.38	12.24	13.58	12.96	13.20
2	13.57	10.73	8.01	7.17	8.71	8.37	10.65	11.36	12.27	13.30	13.15	12.37
3	12.83	10.12	7.28	6.99	7.82	8.84	10.62	11.52	11.99	13.34	13.25	12.71
4	13.35	10.04	6.62	7.13	7.11	9.09	9.49	10.98	11.68	13.25	13.66	13.07
5	13.75	10.01	6.14	7.22	6.93	9.16	9.30	11.26	11.23	13.18	13.93	13.36
6	13.22	10.21	6.01	7.54	7.72	8.62	9.30	11.46	11.62	12.85	13.56	13.11
7	12.31	10.21	5.82	7.24	9.21	7.87	9.15	11.57	11.54	12.79	13.21	12.91
8	12.11	9.63	5.48	6.58	9.23	8.13	9.31	11.23	11.65	13.00	13.24	13.07
9	12.85	8.91	5.57	6.17	8.95	8.45	9.53	11.16	11.88	13.12	13.10	13.01
10	13.15	8.62	5.98	5.97	8.86	9.38	10.52	11.00	11.87	12.94	13.02	13.09
11	14.02	9.06	6.76	5.93	9.40	9.21	10.86	11.29	12.08	12.83	13.35	13.33
12	13.86	9.88	7.26	5.78	9.68	10.06	10.73	11.67	12.05	12.68	13.33	13.45
13	13.76	9.86	7.05	5.76	9.57	11.12	10.07	11.37	11.92	12.98	13.64	13.44
14	13.74	10.11	6.71	5.70	9.21	11.59	10.65	11.16	11.99	13.05	13.78	13.26
15	13.62	9.74	7.01	6.31	9.09	11.83	10.59	11.68	12.20	13.19	14.05	12.79
16	13.53	9.19	6.93	6.32	8.35	11.72	10.62	11.49	12.62	13.18	14.04	12.98
17	13.41	8.99	6.32	5.24	7.79	9.55	11.16	11.64	12.56	13.47	14.12	13.11
18	13.36	9.62	6.12	4.55	8.69	9.05	11.59	11.30	12.02	13.21	13.92	13.22
19	13.68	9.57	7.18	5.10	8.58	9.95	12.38	11.25	11.95	13.53	13.55	12.88
20	13.61	9.42	6.90	7.61	8.61	10.55	12.49	11.96	11.96	13.25	13.46	12.45
21	13.62	8.98	6.27	8.20	8.83	10.57	12.26	12.03	12.21	13.17	13.63	12.31
22	13.07	8.46	5.93	8.19	9.30	9.92	12.34	11.95	12.42	13.55	13.81	12.24
23	13.00	8.34	5.23	8.95	9.64	9.28	12.69	11.59	12.23	13.79	13.59	12.24
24	12.68	9.09	4.72	9.14	9.29	9.55	12.50	11.38	12.13	13.76	13.34	12.48
25	12.95	8.94	4.61	8.93	8.94	9.83	12.42	11.23	12.05	13.73	13.57	12.57
26	12.11	8.70	4.91	9.09	8.39	10.60	11.82	11.58	12.06	13.60	13.10	12.61
27	10.65	8.66	5.17	9.13	8.09	11.64	11.29	11.16	12.08	13.42	13.43	12.85
28	10.64	8.99	5.53	8.50	8.37	11.38	12.04	11.16	12.79	13.27	13.24	12.94
29	10.75	9.16	6.66	7.64	8.87	11.68	11.96	11.65	13.42	13.31	12.83	13.07
30	10.90	8.96	7.47	7.74		11.20	11.89	11.60	13.70	13.09	13.13	13.05
31	11.05		7.35	8.76		10.94		11.54		13.03	13.36	
Mean Day	12.87	9.45	6.38	7.15	8.70	9.93	11.02	11.44	12.15	13.24	13.46	12.91
Max Day	14.02	11.34	8.72	9.14	9.68	11.83	12.69	12.03	13.70	13.79	14.12	13.45
Min Day	10.64	8.34	4.61	4.55	6.93	7.87	9.15	10.98	11.23	12.68	12.83	12.24

Table 6. Minimum Daily Water Temperature °C
Potrero Creek, water year 2012

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1	13.10	10.71	7.66	5.92	8.14	7.59	9.24	11.00	11.52	13.17	12.10	11.85
2	12.48	9.30	6.85	6.17	7.42	6.98	9.03	10.37	11.40	12.91	12.50	11.15
3	11.36	8.82	6.32	6.17	6.54	7.16	9.22	11.01	11.37	12.75	13.01	12.01
4	12.83	9.65	5.53	6.16	6.04	7.76	7.77	9.65	11.03	12.91	13.22	12.47
5	13.25	9.33	5.30	6.40	5.68	8.64	7.63	9.67	10.32	12.79	13.09	12.77
6	12.37	9.77	5.13	6.97	6.24	7.09	6.98	10.11	10.48	11.97	12.39	12.20
7	10.72	9.60	4.88	6.09	7.72	6.33	7.12	10.71	10.84	12.47	11.94	12.10
8	10.58	8.42	4.74	5.44	8.34	6.36	7.24	10.21	10.61	12.58	12.13	12.17
9	12.11	7.95	4.71	5.24	7.90	7.06	8.65	10.15	10.20	12.43	12.11	12.34
10	12.06	7.75	4.97	5.03	7.58	8.40	9.37	9.77	10.76	12.12	12.20	12.44
11	13.15	8.40	5.98	5.11	8.84	7.99	9.92	10.34	11.29	12.22	12.52	12.62
12	12.72	9.07	6.73	4.86	9.23	9.12	10.01	11.10	11.74	12.33	12.56	12.82
13	12.45	9.23	6.09	4.78	9.15	10.06	9.51	10.32	11.60	12.58	13.03	12.73
14	12.71	9.58	5.88	4.67	8.68	10.64	9.77	10.11	11.32	12.57	13.31	12.40
15	12.68	8.62	6.12	5.12	8.38	11.26	9.47	10.96	11.00	12.67	13.33	12.19
16	12.64	8.25	5.85	5.27	6.80	9.58	9.39	11.12	11.58	12.93	13.07	12.53
17	12.43	7.96	5.46	4.07	6.33	8.69	10.26	11.10	12.07	13.02	13.23	12.52
18	12.84	9.00	5.15	3.60	7.79	7.72	10.37	10.21	10.87	12.26	13.34	12.71
19	13.34	8.73	6.13	3.68	7.86	8.35	11.02	10.00	10.89	12.82	12.94	12.07
20	13.10	8.85	5.81	5.12	7.61	8.52	11.70	11.06	11.51	12.25	12.92	11.33
21	12.97	7.52	5.37	7.57	7.63	9.96	11.38	11.21	11.56	12.77	13.16	11.44
22	11.60	7.41	4.77	7.40	7.92	8.48	11.91	11.59	12.05	12.87	13.29	10.89
23	11.76	7.07	4.32	8.20	8.52	8.32	12.02	11.07	11.23	13.02	13.05	11.47
24	11.45	8.36	3.75	8.70	7.96	8.65	11.91	11.08	11.13	13.01	12.97	11.82
25	12.18	7.88	3.63	7.94	7.98	8.85	11.86	11.07	10.89	13.17	13.03	12.29
26	10.42	7.95	3.89	8.00	6.84	8.93	10.49	11.06	10.90	13.11	11.69	12.06
27	9.23	7.85	4.36	8.45	7.46	10.60	10.13	10.15	10.80	13.05	12.03	12.29
28	9.25	8.14	4.56	6.99	7.85	9.72	11.14	10.41	11.90	13.00	11.89	12.27
29	9.38	8.60	5.45	6.57	7.73	10.20	11.14	11.00	12.62	12.57	11.73	11.84
30	9.63	8.07	6.48	6.56		10.67	11.36	10.35	13.29	12.40	12.79	11.91
31	10.12		6.55	7.75		10.34		10.79		12.39	12.88	
Mean Day	11.84	8.59	5.43	6.13	7.66	8.71	9.90	10.60	11.29	12.68	12.69	12.12
Max Day	13.34	10.71	7.66	8.70	9.23	11.26	12.02	11.59	13.29	13.17	13.34	12.82
Min Day	9.23	7.07	3.63	3.60	5.68	6.33	6.98	9.65	10.20	11.97	11.69	10.89

Table 7. Mean Daily Specific Conductance (umhos/cm @ 25 °C)
Potrero Creek, water year 2012

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1	886.70	1032.41	961.55	1019.64	974.18	985.84	661.76	891.66	1183.90	1199.53	1076.01	888.94
2	889.69	1018.25	965.04	1018.71	983.20	987.24	507.70	924.36	1178.59	1182.34	1071.65	879.72
3	895.84	1011.33	966.99	1015.88	986.59	992.04	547.43	959.14	1168.85	1167.89	1066.19	875.71
4	880.76	983.40	969.60	1013.65	988.68	994.02	599.73	967.76	1159.39	1154.22	1060.63	874.61
5	773.83	983.98	970.79	1014.63	988.63	996.57	638.26	965.33	1153.51	1143.71	1052.44	877.38
6	791.56	950.88	971.16	1014.08	994.27	995.13	668.50	964.72	1157.07	1131.44	1040.50	882.23
7	816.36	945.91	971.80	1004.97	998.23	995.21	692.71	974.27	1157.31	1116.60	1030.27	881.57
8	855.78	958.49	973.02	994.08	996.27	997.00	716.72	986.59	1161.44	1101.85	1019.41	879.39
9	865.88	965.68	973.49	993.10	998.10	998.89	720.98	1001.66	1166.71	1085.97	1007.39	875.91
10	873.64	967.20	973.70	998.07	1000.61	1002.40	694.86	1014.77	1172.50	1064.10	996.80	866.02
11	876.80	960.66	972.84	1004.51	999.75	999.31	694.04	1027.85	1180.05	1039.69	985.90	858.69
12	880.45	913.17	976.93	1006.76	994.71	1003.36	437.07	1039.85	1187.41	1019.02	974.15	857.49
13	884.22	936.63	990.81	1006.26	990.27	1005.70	280.85	1048.49	1195.46	1002.03	965.73	858.17
14	887.15	947.14	1000.11	1005.93	988.03	1007.10	305.56	1055.80	1204.39	994.03	958.28	857.41
15	889.11	953.61	1002.77	1007.82	979.96	1011.59	338.49	1063.10	1211.55	990.77	951.89	853.18
16	892.69	955.96	1001.30	1007.85	979.90	849.16	375.89	1067.86	1218.82	991.70	947.61	850.72
17	903.65	957.07	1001.47	1008.61	986.26	879.66	416.70	1071.70	1224.77	996.21	904.44	846.99
18	895.78	955.89	1002.57	1008.82	991.47	925.56	452.96	1074.88	1229.23	1000.14	871.30	840.79
19	897.82	954.13	1004.16	1010.48	993.18	948.19	484.82	1081.57	1237.09	1008.84	885.20	834.44
20	914.28	855.85	1002.64	965.78	995.93	958.67	519.18	1092.45	1244.99	1018.38	908.20	833.04
21	927.50	893.27	1003.07	976.69	998.36	962.73	553.53	1105.32	1251.71	1031.44	936.22	834.20
22	951.51	933.51	1005.22	983.03	999.75	968.92	586.34	1120.91	1257.24	1043.61	959.74	834.22
23	980.19	945.68	1011.59	920.00	1000.73	968.89	619.34	1135.02	1259.38	1052.81	978.38	836.78
24	1022.96	945.94	1013.90	901.31	1000.43	986.14	658.38	1147.74	1262.65	1059.26	991.43	838.46
25	1049.86	945.57	1014.46	912.90	1001.36	891.80	700.13	1158.78	1263.35	1064.11	998.70	839.75
26	1034.18	949.05	1012.72	951.56	1001.04	712.39	734.09	1166.58	1265.65	1067.19	997.46	839.61
27	1028.95	952.77	1016.92	957.71	1002.22	717.99	764.84	1170.25	1265.76	1070.57	992.01	840.17
28	1021.80	954.46	1024.59	963.20	1001.20	705.18	796.84	1174.77	1265.97	1073.96	971.29	843.23
29	1019.63	956.45	1025.47	965.86	997.28	723.33	827.74	1178.67	1253.94	1076.20	949.89	844.31
30	1031.74	958.81	1020.44	961.16		746.94	859.76	1179.76	1225.89	1077.24	924.34	843.31
31	1039.96		1019.01	968.24		781.25		1182.46		1078.23	903.73	
Mean Day	921.3	954.8	994.2	986.5	993.5	925.7	595.2	1064.3	1212.2	1067.8	979.9	855.5
Max Day	1049.9	1032.4	1025.5	1019.6	1002.2	1011.6	859.8	1182.5	1266.0	1199.5	1076.0	888.9
Min Day	773.8	855.9	961.6	901.3	974.2	705.2	280.9	891.7	1153.5	990.8	871.3	833.0

Table 8. Mean daily flow, San Clemente Creek, water year 2012
Santa Lucia Preserve, Monterey County, California

Values are cfs (unless otherwise noted)

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1					0.23	0.55	1.55	0.75	0.29	0.15	0.07	0.04
2					0.22	0.47	1.24	0.74	0.27	0.10	0.07	0.04
3					0.21	0.44	1.15	0.73	0.27	0.10	0.07	0.04
4					0.20	0.44	1.08	0.74	0.28	0.10	0.07	0.04
5					0.19	0.46	1.00	0.72	0.31	0.10	0.06	0.04
6					0.20	0.51	0.97	0.72	0.29	0.11	0.04	0.04
7					0.22	0.49	0.94	0.72	0.27	0.12	0.04	0.04
8					0.21	0.46	0.91	0.69	0.25	0.11	0.04	0.04
9					0.23	0.47	0.90	0.63	0.24	0.11	0.05	0.04
10					0.28	0.46	0.98	0.61	0.23	0.10	0.06	0.04
11					0.36	0.45	1.09	0.60	0.22	0.08	0.06	0.05
12					0.43	0.49	1.37	0.59	0.21	0.06	0.05	0.05
13					0.60	0.53	3.22	0.58	0.20	0.06	0.05	0.05
14					0.88	0.46	2.25	0.56	0.19	0.07	0.04	0.05
15					0.70	0.44	1.81	0.55	0.18	0.07	0.04	0.05
16					0.61	0.50	1.60	0.54	0.18	0.08	0.03	0.06
17				0.07	0.58	1.74	1.49	0.48	0.18	0.08	0.03	0.06
18				0.06	0.59	1.59	1.40	0.48	0.19	0.07	0.03	0.06
19				0.07	0.59	1.16	1.33	0.47	0.18	0.06	0.03	0.06
20				0.08	0.57	0.99	1.27	0.46	0.19	0.06	0.03	0.06
21				1.28	0.55	0.94	1.20	0.44	0.18	0.05	0.04	0.06
22				0.42	0.48	0.89	1.12	0.43	0.18	0.05	0.04	0.06
23				1.42	0.40	0.82	1.09	0.41	0.19	0.06	0.03	0.06
24				0.66	0.38	0.86	1.07	0.40	0.17	0.06	0.03	0.06
25				0.44	0.37	1.78	1.01	0.43	0.17	0.06	0.03	0.06
26				0.38	0.37	1.18	1.01	0.46	0.17	0.07	0.03	0.06
27				0.33	0.39	1.14	0.94	0.47	0.16	0.07	0.03	0.06
28				0.28	0.38	1.41	0.95	0.44	0.15	0.07	0.03	0.06
29				0.26	0.50	1.23	0.89	0.43	0.14	0.08	0.03	0.06
30				0.25		1.17	0.80	0.40	0.14	0.08	0.03	0.06
31				0.24		1.27		0.31		0.08	0.04	
Mean				0.42	0.41	0.83	1.25	0.55	0.21	0.08	0.04	0.05
Max Day				1.42	0.88	1.78	3.22	0.75	0.31	0.15	0.07	0.06
Min Day				0.06	0.19	0.44	0.80	0.31	0.14	0.05	0.03	0.04
Yield (ac-ft)				12.4	23.7	51.1	74.6	33.6	12.4	5.02	2.66	3.08

Water Year 2012 Annual Summary			yr	day	cfs
Mean Daily Flow	0.43	cfs	1991	9/17	0.03
Max. Daily Flow	3.2	cfs	1992	8/27	0.06
Min. Daily Flow	0.03	cfs	1993	8/27	0.10
7-Day Low Flow	0.03	cfs	1994	7/16	0.04
Total Yield	219	ac-ft	1995	9/29	0.14
Normalized Yield	0.07	ac-ft/ac	2002	8/25	0.01
			2003	9/14	0.03
			2004	8/27	0.02
			2005	9/30	0.11
			2006	9/23	0.17
			2007	8/4	0.03
			2008	8/26	0.07
			2009	9/4	0.03
			2010	9/5	0.01
			2011	9/23	0.17
			2012	9/30	0.04

Approximate date and value of first minimum daily mean flow near the end of each water year.

Table 9. Mean Daily Water Temperature °C
San Clemente Creek, water year 2012

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1					7.77	7.25	9.15	11.66	13.28	14.70	14.00	13.84
2					6.67	7.07	8.55	10.75	13.44	14.32	14.30	13.18
3					6.23	6.52	9.17	10.43	13.15	14.06	14.23	13.65
4					6.11	7.43	8.91	10.70	12.34	13.34	14.14	13.83
5					5.99	7.91	7.61	9.86	11.60	13.60	14.46	14.18
6					6.85	7.33	8.00	10.73	11.03	13.52	14.45	14.30
7					8.56	6.07	8.01	11.58	11.40	14.03	14.56	14.23
8					8.13	5.92	8.42	12.11	11.92	14.01	14.72	14.15
9					7.82	6.34	8.43	12.43	11.77	13.91	15.31	13.80
10					7.75	6.40	9.43	11.75	12.06	14.20	15.57	13.31
11					8.63	7.69	9.47	12.11	12.96	14.86	15.64	13.13
12					8.29	7.37	9.75	12.50	13.31	15.23	16.05	13.44
13					8.07	8.62	9.52	12.42	13.46	14.43	16.44	14.25
14					8.07	9.58	9.06	11.67	13.21	14.18	16.21	14.42
15					7.36	9.90	9.71	11.51	13.22	14.11	15.63	14.17
16					5.98	10.15	10.03	12.17	14.55	13.98	15.48	14.02
17				3.89	6.17	8.59	10.05	11.67	15.36	14.15	15.44	13.47
18				3.31	7.42	6.87	10.31	11.86	14.55	14.50	16.13	12.90
19				3.94	7.41	7.09	11.22	11.55	13.40	14.29	15.57	12.75
20				6.75	7.22	8.36	12.70	12.18	14.13	14.19	14.99	12.59
21				9.00	7.38	9.12	13.53	12.53	13.66	15.09	14.79	12.89
22				7.30	8.02	9.73	13.46	12.59	13.22	15.02	14.65	13.30
23				8.91	8.15	8.10	12.63	11.89	13.44	14.52	14.52	13.12
24				8.33	7.65	8.59	12.62	11.22	12.42	14.57	14.30	12.79
25				7.92	7.64	8.66	12.32	10.63	11.92	14.65	14.24	12.94
26				8.40	6.26	7.93	11.97	10.62	12.16	14.38	14.10	12.86
27				8.30	6.84	9.01	10.50	11.42	12.55	14.34	13.58	12.95
28				6.75	7.00	10.19	10.78	11.24	12.76	13.96	14.16	13.19
29				6.78	7.62	9.52	11.67	11.23	13.22	13.74	14.42	13.38
30				7.12		9.83	12.35	11.60	13.69	13.66	14.00	13.87
31				8.03		10.01		12.68		14.38	13.99	
Mean Day				7.0	7.3	8.2	10.3	11.6	13.0	14.3	14.8	13.5
Max Day				9.0	8.6	10.2	13.5	12.7	15.4	15.2	16.4	14.4
Min Day				3.3	6.0	5.9	7.6	9.9	11.0	13.3	13.6	12.6

Table 10. Maximum Daily Water Temperature °C
San Clemente Creek, water year 2012

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1					8.42	7.87	9.84	12.47	14.51	15.86	15.72	14.82
2					7.32	7.63	9.93	11.65	14.73	15.57	16.11	14.51
3					6.98	7.60	10.30	11.44	14.44	15.33	15.89	14.95
4					6.92	8.60	9.98	11.32	12.98	14.66	14.55	15.00
5					6.92	8.75	8.22	11.49	12.19	14.95	16.11	15.14
6					8.15	7.67	8.96	12.38	12.15	14.84	16.28	15.20
7					8.97	6.70	9.59	13.26	12.78	15.60	16.35	15.16
8					8.88	7.09	9.81	13.77	13.26	15.42	16.49	15.11
9					8.60	7.51	9.72	13.69	13.07	15.42	17.06	14.75
10					8.53	7.42	9.85	13.17	13.57	15.76	17.30	14.33
11					8.94	8.23	9.96	13.67	14.52	16.41	17.51	14.14
12					8.72	8.12	10.31	14.00	14.62	16.88	17.69	14.40
13					8.28	9.12	10.03	13.25	14.69	15.87	18.13	15.16
14					8.27	10.02	9.73	12.63	14.47	15.50	17.92	15.34
15					7.80	10.48	11.49	12.96	14.54	15.41	17.28	15.16
16					6.67	10.48	11.52	13.74	16.27	15.17	17.17	14.87
17				4.10	7.29	10.01	11.72	12.82	16.66	15.16	17.11	14.19
18				4.05	7.90	7.61	11.54	13.12	15.90	15.80	17.66	13.86
19				5.33	7.69	7.89	12.74	13.05	14.74	15.71	17.29	13.70
20				9.04	8.05	9.54	14.25	13.70	15.65	15.79	16.74	13.50
21				10.10	8.27	10.18	14.73	13.59	14.89	16.73	16.42	13.88
22				8.18	8.83	10.17	14.50	13.75	14.36	16.44	16.11	14.17
23				9.13	8.77	8.92	13.55	12.89	14.61	16.05	16.02	14.10
24				8.78	8.45	9.33	13.33	12.30	13.70	16.01	15.65	13.56
25				8.59	8.01	9.47	12.98	11.11	13.28	16.10	15.47	13.84
26				9.08	6.94	8.87	12.57	10.93	13.64	15.80	15.27	13.61
27				8.93	7.08	9.77	11.58	12.60	14.25	15.87	15.00	13.83
28				7.45	7.44	10.90	12.16	12.55	14.38	15.48	15.53	13.82
29				7.51	8.27	10.57	13.20	12.49	14.64	15.44	15.72	14.26
30				8.00		10.90	13.56	13.16	15.06	15.48	15.18	14.90
31				8.48		10.29		14.12		16.23	14.83	
Mean Day				7.8	8.0	9.0	11.4	12.8	14.3	15.7	16.4	14.4
Max Day				10.1	9.0	10.9	14.7	14.1	16.7	16.9	18.1	15.3
Min Day				4.0	6.7	6.7	8.2	10.9	12.2	14.7	14.6	13.5

Table 11. Minimum Daily Water Temperature °C
San Clemente Creek, water year 2012

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1					7.13	6.35	8.62	10.75	12.05	14.03	12.20	13.19
2					5.99	6.34	7.01	9.75	12.01	13.46	12.71	11.56
3					5.38	5.30	7.89	9.30	11.58	12.87	12.93	12.20
4					5.26	6.22	8.08	9.63	11.82	11.66	13.68	12.57
5					5.02	6.99	6.59	8.06	11.07	12.59	13.44	13.33
6					5.98	6.76	6.85	8.90	9.65	12.08	12.79	13.55
7					8.13	5.20	6.23	9.74	9.77	12.49	13.23	13.28
8					7.38	4.72	6.71	10.17	11.02	12.64	13.21	13.28
9					6.93	5.00	6.78	11.04	10.23	12.40	13.87	12.83
10					6.74	5.19	8.93	9.94	10.22	12.39	14.13	11.96
11					8.32	7.15	8.96	10.30	11.09	13.07	14.06	11.79
12					7.80	6.41	9.26	10.74	11.71	14.01	14.71	12.23
13					7.93	8.08	9.12	11.48	12.36	13.22	15.29	13.35
14					7.85	9.08	8.46	10.45	12.06	13.32	15.11	13.47
15					6.53	9.27	8.06	9.81	11.73	12.81	14.53	12.96
16					5.19	9.83	8.46	10.47	12.68	13.10	14.14	13.08
17				3.52	5.11	7.77	8.21	10.36	14.11	13.43	13.82	12.69
18				2.46	6.88	6.32	8.70	10.52	13.43	13.74	15.32	11.83
19				2.97	6.81	6.41	9.59	9.70	11.53	13.02	14.42	11.68
20				5.35	6.54	7.28	11.13	10.41	12.41	12.47	13.57	11.52
21				7.62	6.43	7.84	12.06	11.22	12.63	13.51	13.39	11.78
22				6.70	7.20	8.66	12.14	11.34	12.00	13.93	13.37	12.46
23				8.23	7.46	6.97	12.10	11.00	12.73	13.19	13.22	11.97
24				7.92	6.64	7.95	11.81	10.06	11.20	13.23	13.18	11.76
25				7.24	7.01	7.94	11.57	10.44	10.41	13.46	13.32	11.87
26				7.68	5.25	6.76	10.91	10.33	10.59	13.27	13.42	12.02
27				7.45	6.55	8.22	9.16	10.41	10.91	13.32	11.97	11.94
28				5.86	6.75	9.66	9.17	9.85	10.99	12.62	12.73	12.39
29				5.96	6.83	8.28	10.01	10.07	11.70	12.38	13.03	12.35
30				6.26		8.59	10.92	9.79	12.08	11.74	12.68	12.86
31				7.54		9.34		10.94		12.88	13.51	
Mean Day				6.2	6.7	7.3	9.1	10.2	11.6	13.0	13.6	12.5
Max Day				8.2	8.3	9.8	12.1	11.5	14.1	14.0	15.3	13.6
Min Day				2.5	5.0	4.7	6.2	8.1	9.7	11.7	12.0	11.5

Table 12. Mean Daily Specific Conductance (umhos/cm @ 25 °C)
San Clemente Creek, water year 2012

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1					95.10	90.70	161.73	179.90	215.74	237.00	246.78	267.13
2					94.98	91.22	158.93	177.76	228.43	235.52	250.08	262.97
3					94.77	90.79	161.30	173.79	231.32	235.17	251.20	268.15
4					92.97	93.21	160.13	174.68	235.91	231.91	252.60	270.49
5					91.81	94.17	154.80	172.79	233.41	233.79	256.50	272.78
6					94.00	92.81	156.96	177.70	238.43	234.35	258.28	273.33
7					102.06	89.71	157.77	181.98	245.30	237.30	260.15	272.41
8					101.28	87.81	160.60	192.27	255.31	234.93	260.70	271.06
9					98.63	89.98	161.55	197.64	256.14	231.65	265.28	268.41
10					96.72	91.33	164.48	190.18	256.23	232.46	267.96	264.74
11					97.81	95.51	163.98	185.02	215.67	236.53	269.04	263.25
12					99.52	93.51	162.02	191.96	210.35	239.32	272.34	265.66
13					99.37	95.47	155.21	189.16	211.03	235.32	276.95	271.69
14					87.65	99.18	154.24	186.92	208.80	234.54	276.92	272.08
15					87.74	103.60	156.43	186.78	209.78	235.81	274.10	269.94
16					86.01	105.34	157.65	185.84	218.02	235.75	274.02	270.92
17					85.96	77.58	158.67	186.75	223.57	238.22	279.59	268.40
18					90.03	82.10	160.77	187.74	219.17	241.02	289.66	264.45
19					90.47	87.72	165.98	186.81	213.72	239.34	284.14	263.24
20					90.77	153.42	174.38	190.54	218.81	241.38	280.69	261.51
21					91.54	166.38	180.29	193.16	217.27	249.71	278.52	263.43
22					93.95	170.50	180.52	195.20	215.10	249.00	276.47	265.85
23					95.42	164.22	177.95	193.83	218.29	246.82	275.41	264.36
24					94.60	164.67	178.99	191.05	217.23	248.36	273.35	263.67
25				87.83	95.47	158.69	176.99	184.98	216.46	247.27	271.86	264.26
26				89.18	91.20	160.22	175.95	181.86	218.49	245.28	269.29	264.85
27				90.70	92.22	165.18	168.07	185.39	220.10	244.69	264.04	265.01
28				87.05	92.18	164.02	170.82	186.05	222.53	242.88	267.92	268.17
29				88.24	94.81	164.60	176.73	187.60	227.21	242.56	270.71	270.64
30				90.33		165.34	182.82	190.29	230.33	243.31	268.71	276.17
31				94.33		160.10		200.01	200.01	248.22	268.46	
Mean Day				89.7	93.8	119.6	165.9	186.6	224.1	239.7	268.8	267.6
Max Day				94.3	102.1	170.5	182.8	200.0	256.2	249.7	289.7	276.2
Min Day				87.1	86.0	77.6	154.2	172.8	200.0	231.6	246.8	261.5

7 Figures




Figure 1. Monthly precipitation at San Clemente Dam for Water Year 2012. WY 2012 precipitation was below average. Total precipitation in WY 2012 at the dam was 13.94 inches compared to the average total precipitation at the dam, 21.39 inches. Mean monthly data is based on Water Years 1922 - 2012. Precipitation data are from the Monterey Peninsula Water Management District (2012).




Figure 2. Log-Pearson Type-III statistical analysis of historic precipitation data from San Clemente Dam. Thin curved lines represent upper and lower 95% confidence bounds for precipitation and non-exceedance probability. The yellow diamond symbol marks the 13.94 inch precipitation of the 2012 water year. Rainfall at San Clemente Dam should be less than 13.94 inches once every 6 years on average.




Figure 3. Monthly Precipitation at Santa Lucia Preserve Golf course for Water Year 2012. WY 2012 precipitation was below average at the golf course. Precipitation was 18.53 inches in Water Year 2012 compared to the 10 year annual average of 27.45 inches. Mean monthly average is based only on Water Years 2001 - 2012 and is probably not an accurate characterization of actual long-term patterns (precipitation data from Santa Lucia Preserve, 2012).




Figure 4. Mean Daily Streamflow at Potrero Creek gage for Water Year 2012. Red line is mean daily streamflow. Minimum and maximum daily flows are also shown. Yellow points represent manual discharge measurements.




Figure 5. Daily Specific Conductance Water Temperature data at Potrero Creek gage for Water Year 2011.

Blue line is mean daily specific conductance; red line is mean daily water temperature; dotted lines represent minimum and maximum daily water temperature values.



Figure 6. Mean Daily Streamflow at San Clemente Creek gage for Water Year 2012. Red line is mean daily streamflow. Minimum and maximum daily flows are also shown. Yellow points represent manual discharge measurements.




Figure 7. Daily Specific Conductance and Water Temperature data at San Clemente Creek gage for Water Year 2012. Blue line is mean daily specific conductance; red line is mean daily water temperature; dotted lines represent minimum and maximum daily water temperature values.